



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Substance name : C. DIFF QUIK CHEK®  
 Product code : 5029MD, 5029C, 5029P, 5029D, MS2, MW2  
 Catalog No(s) : T5029, 30390  
 Other means of identification : This SDS is for a medical *in vitro* diagnostic (IVD) kit. The 5029C, 5029D and MW2 components have hazards associated with them, refer to the corresponding component SDS for more information. 5029MD, 5029P, and MS2 are not classified as hazardous.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : A rapid membrane enzyme immunoassay for use as a screening test to detect *Clostridium difficile* antigen, glutamate dehydrogenase, in fecal specimens from persons suspected of having *C. difficile* disease.

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Company, Manufacturer

TECHLAB, Inc.  
 2001 Kraft Drive  
 Blacksburg, VA 24060

#### Distributed by:

Alere North America, LLC  
 30 South Keller Road  
 Orlando, Florida 32810 USA

### 1.4. Emergency telephone number

Emergency number : + (207) 730-5750

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Sens. 1 H317

Full text of H-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning  
 Hazard statements (CLP) : H317 - May cause an allergic skin reaction  
 Precautionary statements (CLP) : P261 - Avoid breathing vapors, mist, or spray.  
 P272 - Contaminated work clothing should not be allowed out of the workplace.  
 P280 - Wear protective gloves, protective clothing, and eye protection.  
 P302+P352 - IF ON SKIN: Wash with plenty of water.  
 P321 - Specific treatment (see section 4 on this SDS).  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
 P362+P364 - Take off contaminated clothing and wash it before reuse.  
 P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

Refer to component Safety Data Sheets

## C. DIFF QUIK CHEK®

### Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

## SECTION 4: First aid measures

Refer to component Safety Data Sheets

## SECTION 5: Firefighting measures

Refer to component Safety Data Sheets

## SECTION 6: Accidental release measures

Refer to component Safety Data Sheets

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

No additional information available

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store closed in a dry, cool and well-ventilated place. Store refrigerated (2 - 8 °C)

### 7.3. Specific end use(s)

A rapid membrane enzyme immunoassay for use as a screening test to detect *Clostridium difficile* antigen, glutamate dehydrogenase, in fecal specimens from persons suspected of having *C. difficile* disease.

## SECTION 8: Exposure controls/personal protection

Refer to component Safety Data Sheets

## SECTION 9: Physical and chemical properties

Refer to component Safety Data Sheets

## SECTION 10: Stability and reactivity

Refer to component Safety Data Sheets

## SECTION 11: Toxicological information

Refer to component Safety Data Sheets

## SECTION 12: Ecological information

Refer to component Safety Data Sheets

## SECTION 13: Disposal considerations

Refer to component Safety Data Sheets

## SECTION 14: Transport information

Refer to component Safety Data Sheets

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3.b. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

C. DIFF QUIK CHEK®

C. DIFF QUIK CHEK® is not on the REACH Candidate List

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Revision date : 24/09/2015

Data sources : According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

<b>Kit Components</b> :	Membrane Device	No known hazards according to (EC) No. 1272/2008 [CLP]
	Conjugate	May cause an allergic skin reaction.
	Positive Control	No known hazards according to (EC) No. 1272/2008 [CLP]
	Diluent	May cause an allergic skin reaction.

## C. DIFF QUIK CHEK®

### Safety Data Sheet

According to regulation (EU) No. 2015/830 and regulation (EC) No. 1272/2008

Substrate  
Wash Buffer

No known hazards according to (EC) No. 1272/2008 [CLP]  
May cause an allergic skin reaction.

Full text of H- and EUH-statements:

Skin Sens. 1	Sensitisation — Skin, category 1
H317	May cause an allergic skin reaction

EU GHS SDS

The Alere Logo and Alere are trademarks of the Alere group of companies.

C. DIFF QUIK CHEK, the TECHLAB Logo, and TECHLAB are trademarks of TECHLAB, Inc., under license.

©2015 TECHLAB, Inc. All rights reserved.

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*